


Specifications for the FOD-Razor® SportSweeper™

548 Forest Center Plaza Garland, TX 75042-6900 E-mail: info@fodcontrol.com
 +1 (520) 760-7732 Fax: +1 (520) 751-4173 Toll-Free (800) 425-8363 Web Site: www.fodcontrol.com

Name / Part Number:	FOD-Razor® SportSweeper™ 6ft / SPORT-RZR-6
Country Of Origin:	United States Of America
Sweeping Path:	72" / 182.8cm
Dimensions (each sweeper):	72" x 50" / 182.8cm x 127cm
Weight:	30 lbs / 13.6Kg
Infill Capture Options:	100% Capture (Solid Bottoms) 2 mm, 5 mm, 7 mm (Mesh Screen Bottoms).
Portability:	Unit will be collapsible and stowable in the included carrying case. Will be able to be hand carried to operations location, set up, and operated by one person.
Operational Speed:	5-10mph / 8-16kmh
Tow Arm Connection:	3" Ring (2.5" Inner Diameter)
Materials:	Nylon, TPU, Aluminum, and Steel.
Color:	Black / Green
Operator's Manual:	Includes operating instructions
Shipping dimensions:	74" X 10" X 10"
Shipping weight:	35lbs / 15.9 Kg

The FOD-Razor® SportSweeper™
is manufactured in the
USA (United States of America)




Specifications for the FOD-Razor® SportSweeper™

548 Forest Center Plaza Garland, TX 75042-6900 E-mail: info@fodcontrol.com
 +1 (520) 760-7732 Fax: +1 (520) 751-4173 Toll-Free (800) 425-8363 Web Site: www.fodcontrol.com

Name / Part Number:	FOD-Razor® SportSweeper™ 12ft DUPLEX / SPORT-RZR-DPLX-12
Country Of Origin:	United States Of America
Sweeping Path:	144" / 365.6cm
Dimensions (each sweeper):	72" x 50" / 182.8cm x 127cm
Weight:	30 lbs / 13.6 Kg
Infill Capture Options:	100% Capture (Solid Bottoms) 2 mm, 5 mm, 7 mm (Mesh Screen Bottoms).
Portability:	Unit will be collapsible and stowable in the included carrying case. Will be able to be hand carried to operations location, set up, and operated by one person.
Operational Speed:	5-10mph / 8-16kmh
Tow Arm Connection:	3" Ring (2.5" Inner Diameter) and cross bar to attach to vehicle for duplex model
Materials:	Nylon, TPU, Aluminum, and Steel.
Color:	Black / Green
Operator's Manual:	Includes operating instructions
Shipping dimensions:	100" x 12" x 12"
Shipping weight:	68lbs / 30.9 Kg

The FOD-Razor® SportSweeper™
is manufactured in the
USA (United States of America)




Specifications for the FOD-Razor® SportSweeper™

548 Forest Center Plaza Garland, TX 75042-6900 E-mail: info@fodcontrol.com
 +1 (520) 760-7732 Fax: +1 (520) 751-4173 Toll-Free (800) 425-8363 Web Site: www.fodcontrol.com

Name / Part Number:	FOD-Razor® SportSweeper™ 8ft/SPORT-RZR-8
Country Of Origin:	United States Of America
Sweeping Path:	96" / 243.8cm
Dimensions (each sweeper):	96" x 64" / 243.8cm x 127cm 96" X 64"
Weight:	50lbs / 22.7Kg
Infill Capture Options:	100% Capture (Solid Bottoms) 2 mm, 5 mm, 7 mm (Mesh Screen Bottoms).
Portability:	Unit will be collapsible and stowable in the included carrying case. Will be able to be hand carried to operations location, set up, and operated by one person.
Operational Speed:	5-10mph / 8-16kmh
Tow Arm Connection:	3" Ring (2.5" Inner Diameter)
Materials:	Nylon, TPU, Aluminum, and Steel.
Color:	Color: Black / Green
Operator's Manual:	Includes operating instructions
Shipping dimensions:	100" x 12" x 12"
Shipping weight:	55 lbs / 25 Kg

The FOD-Razor® SportSweeper™
is manufactured in the
USA (United States of America)




Specifications for the FOD-Razor® SportSweeper™

548 Forest Center Plaza Garland, TX 75042-6900 E-mail: info@fodcontrol.com
 +1 (520) 760-7732 Fax: +1 (520) 751-4173 Toll-Free (800) 425-8363 Web Site: www.fodcontrol.com

Name / Part Number:	FOD-Razor® SportSweeper™ 16ft DUPLEX / SPORT-RZR-DPLX-16
Country Of Origin:	United States Of America
Sweeping Path:	192" / 487.6cm
Dimensions (each sweeper):	96" x 64" / 243.8cm x 127cm
Weight:	50lbs / 22.7Kg
Infill Capture Options:	100% Capture (Solid Bottoms) 2 mm, 5 mm, 7 mm (Mesh Screen Bottoms).
Portability:	Unit will be collapsible and stowable in the included carrying case. Will be able to be hand carried to operations location, set up, and operated by one person.
Operational Speed:	5-10mph / 8-16kmh
Tow Arm Connection:	3" Ring (2.5" Inner Diameter) and cross bar to attach to vehicle for duplex model
Materials:	Nylon, TPU, Aluminum, and Steel.
Color:	Black / Green
Operator's Manual:	Includes operating instructions
Shipping dimensions:	100" x 16" x 16"
Shipping weight:	110 lbs / 50 Kg


The FOD-Razor® SportSweeper™ is manufactured in the USA (United States of America)



Specifications for the FOD-Razor® SportSweeper™

548 Forest Center Plaza Garland, TX 75042-6900 E-mail: info@fodcontrol.com
 +1 (520) 760-7732 Fax: +1 (520) 751-4173 Toll-Free (800) 425-8363 Web Site: www.fodcontrol.com

Name / Part Number:	FOD-Razor® SportSweeper™ 4H / SPORT-RZR-4H
Country Of Origin:	United States Of America
Sweeping Path:	48" / 122 cm
Dimensions (each sweeper):	48" x 50" / 122 cm x 127cm
Weight:	20lbs / 9.1 Kg
Infill Capture Options:	100% Capture (Solid Bottoms) 2 mm, 5 mm, 7 mm (Mesh Screen Bottoms).
Portability:	Unit will be collapsible and stowable in the included carrying case. Will be able to be hand carried to operations location, set up, and operated by one person.
Operational Speed:	a brisk walk
Tow Arm Connection:	Hand pull
Materials:	Nylon, TPU, Aluminum, and Steel.
Color:	Black / Green
Operator's Manual:	Includes operating instructions
Shipping dimensions:	50x10x10
Shipping weight:	25 lbs / 11.4 Kg



The FOD-Razor® SportSweeper™
is manufactured in the
USA (United States of America)

